



357 Magnum

.357"	38 GDHP	38 JHP	38 TMJ® FN
Weight (grains)	125	125	125
Ballistic Coefficient	0.14	0.129	0.146
Sectional Density	0.14	0.14	0.14
COAL Tested	1.580"	1.575"	1.575"
Speer Part No.	4012	4013	4015

Propellant	Case	Primer	START CHARGE		MAXIMUM CHARGE	
			Weight (grains)	Muzzle Velocity (feet/sec)	Weight (grains)	Muzzle Velocity (feet/sec)
Vihtavuori N110	Speer	CCI 500	16.8	1410	17.8	1443
Alliant 2400	Speer	CCI 500	16.5	1335	17.5	1409
Alliant Power Pistol	Speer	CCI 500	9.5	1273	10.5	1345
Alliant Unique	Speer	CCI 500	8.6	1259	9.6	1343
Winchester 296	Speer	CCI 550	18.3	1188	20.3	1336
Hodgdon H110	Speer	CCI 550	18.0	1154	20.0	1282
Accurate No. 9	Speer	CCI 500	12.6	1119	14.6	1238
Vihtavuori N350	Speer	CCI 500	9.0	1097	10.0	1226
Hodgdon H. Universal	Speer	CCI 500	7.5	1148	8.2	1200
Vihtavuori 3N37	Speer	CCI 500	9.0	1035	10.2	1180
Winchester 231	Speer	CCI 500	7.6	1129	8.3	1168
Accurate No. 7	Speer	CCI 500	12.0	1045	13.5	1134
Hodgdon HS-6	Speer	CCI 550	10.0	1009	11.3	1124

WARNING: Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

Maximum loads should be used with CAUTION • C = Compressed Load