



357 Magnum

.357"	38 TMJ® FN	38 JHP	38 DCHP	38 JSP
Weight (grains)	158	158	158	158
Ballistic Coefficient	0.173	0.163	0.168	0.164
Sectional Density	0.177	0.177	0.177	0.177
COAL Tested	1.570"	1.570"	1.575"	1.570"
Speer Part No.	4207	4211	4215	4217

Propellant	Case	Primer	START CHARGE		MAXIMUM CHARGE	
			Weight (grains)	Muzzle Velocity (feet/sec)	Weight (grains)	Muzzle Velocity (feet/sec)
Alliant 2400	Speer	CCI 500	13.8	1128	14.8	1265
Vihtavuori N110	Speer	CCI 500	13.5	1102	15.0	1253
Hodgdon H110	Speer	CCI 550	13.9	1151	15.5	1217
Winchester 296	Speer	CCI 550	13.2	1089	14.7	1185
Accurate No. 5	Speer	CCI 500	9.0	1032	10.0	1152
Accurate No. 7	Speer	CCI 500	10.5	1015	11.7	1140
Accurate No. 9	Speer	CCI 500	12.3	1052	13.7	1136
IMR 4227	Speer	CCI 500	15.0	1003	17.0	1126
Alliant Power Pistol	Speer	CCI 500	7.5	963	8.5	1078
Vihtavuori N350	Speer	CCI 500	7.7	958	8.6	1072
Hodgdon HS-6	Speer	CCI 550	8.7	925	9.7	1040
Alliant Unique	Speer	CCI 500	6.9	978	7.7	1040
Hodgdon H. Universal	Speer	CCI 500	6.5	904	7.3	1015

WARNING: Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

Maximum loads should be used with CAUTION • C = Compressed Load