



357 SIG

0.355"	9mm GDHP	9mm TMJ® FN
Weight (grains)	125	125
Ballistic Coefficient	0.141	0.147
Sectional Density	0.142	0.142
COAL Tested	1.135"	1.135"
Speer Part No.	4360	4362

Propellant	Case	Primer	START CHARGE		MAXIMUM CHARGE	
			Weight (grains)	Muzzle Velocity (feet/sec)	Weight (grains)	Muzzle Velocity (feet/sec)
Accurate No. 9	Speer	CCI 500	13.1	1287	14.6	1437
Alliant Blue Dot	Speer	CCI 500	9.9	1293	11.0 C	1416
Accurate No. 7	Speer	CCI 500	11.1	1264	12.3	1403
Vihtavuori N105	Speer	CCI 500	10.1	1257	11.2 C	1400
Vihtavuori N350	Speer	CCI 500	7.6	1242	8.5	1350
Alliant Unique	Speer	CCI 500	7.2	1231	8.0	1344
Hodgdon HS-6	Speer	CCI 500	8.6	1199	9.6	1335
Vihtavuori 3N37	Speer	CCI 500	7.6	1200	8.5	1301
Alliant Herco	Speer	CCI 500	7.3	1172	8.1	1277

**WARNING:** Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

*Maximum loads should be used with CAUTION • C = Compressed Load*