



38 Special

0.357	38 GDHP	38 UCHP	38 TMJ® FN
Weight (grains)	125	125	125
Ballistic Coefficient	0.140	0.129	0.146
Sectional Density	0.140	0.140	0.140
COAL Tested	1.440"	1.435"	1.435"
Speer Part No.	4012	4013	4015

Propellant	Case	Primer	START CHARGE		MAXIMUM CHARGE	
			Weight (grains)	Muzzle Velocity (feet/sec)	Weight (grains)	Muzzle Velocity (feet/sec)
Vihtavuori 3N37	Speer	CCI 500	DNR	—	6.8	1037
Accurate No. 5	Speer	CCI 500	DNR	—	7.1	1011
Accurate No. 2 Improved	Speer	CCI 500	DNR	—	5.4	994
Alliant Power Pistol	Speer	CCI 500	DNR	—	6.1	986
Alliant Unique	Speer	CCI 500	DNR	—	5.7	980
Hodgdon H. Universal	Speer	CCI 500	DNR	—	5.5	966
Winchester WSF	Speer	CCI 500	DNR	—	5.3	934
Hodgdon TITEGROUP	Speer	CCI 500	DNR	—	4.4	933
IMR PB	Speer	CCI 500	DNR	—	4.9	927
Alliant Bullseye	Speer	CCI 500	DNR	—	4.5	914
Hodgdon Hi-Skor 700-X	Speer	CCI 500	DNR	—	4.6	905
Alliant American Select	Speer	CCI 500	DNR	—	4.1	839

DNR — do not reduce

WARNING: Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

Maximum loads should be used with CAUTION • C = Compressed Load