



## 9mm Luger

.355"	9mm GDHP	9mm TMJ® RN
Weight (grains)	115	115
Ballistic Coefficient	0.125	0.151
Sectional Density	0.130	0.130
COAL Tested	1.125"	1.135"
Speer Part No.	3994	3995

Propellant	Case	Primer	START CHARGE		MAXIMUM CHARGE	
			Weight (grains)	Muzzle Velocity (feet/sec)	Weight (grains)	Muzzle Velocity (feet/sec)
Alliant Blue Dot	Speer	CCI 500	7.7	1161	8.5	1258
Alliant Unique	Speer	CCI 500	5.6	1166	6.3	1244
Alliant BE86	Federal	Federal 100	5.4	1136	6.2	1241
Vihtavuori 3N37	Speer	CCI 500	6.0	1128	6.7	1225
Accurate No. 7	Speer	CCI 500	8.6	1158	9.6 C	1220
Alliant Power Pistol	Speer	CCI 500	6.2	1122	6.7	1212
Vihtavuori N350	Speer	CCI 500	5.8	1109	6.5	1210
Winchester AutoComp	Federal	Federal 100	5.2	1091	5.8	1196
Hodgdon CFE Pistol	Federal	Federal 100	5.1	1094	5.7	1188
Hodgdon HS-6	Speer	CCI 500	6.6	1048	7.4	1178
Hodgdon H. Universal	Speer	CCI 500	4.7	1046	5.3	1172
Winchester WSF	Speer	CCI 500	5.0	1041	5.6	1156
Alliant Bullseye	Speer	CCI 500	4.2	1037	4.7	1144
Winchester 231	Speer	CCI 500	4.4	1026	4.9	1133
Hodgdon TITEGROUP	Speer	CCI 500	4.1	1061	4.5	1121
Alliant Sport Pistol	Federal	Federal 100	4.0	1029	4.5	1115
Accurate No. 5	Speer	CCI 500	6.0	1003	6.7	1102
Alliant American Select	Speer	CCI 500	4.8	1067	5.4	1102
Hodgdon Hi-Skor 700-X	Speer	CCI 500	4.0	1007	4.4	1101

**WARNING:** Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

*Maximum loads should be used with CAUTION • C = Compressed Load*