



## 220 Swift

<b>.224"</b>	<b>22 TNT Green®</b>
<b>Weight (grains)</b>	50
<b>Ballistic Coefficient</b>	0.190
<b>Sectional Density</b>	0.142
<b>COAL Tested</b>	2.630"
<b>Speer Part No.</b>	1028

Propellant	Case	Primer	START CHARGE		MAXIMUM CHARGE	
			Weight (grains)	Muzzle Velocity (feet/sec)	Weight (grains)	Muzzle Velocity (feet/sec)
Alliant Reloder 17	Hornady	CCI 200	38.2	3472	42.3	3927
Alliant Power Pro 4000-MR	Hornady	CCI 200	41.5	3599	46.0 C	3911
Alliant Reloder 19	Hornady	CCI 200	42.0	3520	46.5 C	3903
Alliant Reloder 16	Hornady	CCI 200	39.3	3553	43.5 C	3894
Hodgdon H4350	Hornady	CCI 200	40.4	3577	44.9 C	3891
Vihavuori N540	Federal	Federal 210	38.0	3733	40.0	3890
Ramshot Big Game	Federal	Federal 215	40.0	3734	42.0	3881
Winchester 760	Hornady	CCI 200	38.1	3553	42.3	3877
Hodgdon H4895	Federal	Federal 210	34.0	3712	36.0	3866
Hodgdon H380	Hornady	CCI 200	39.2	3656	42.1	3849
Alliant Reloder 15	Federal	Federal 210	35.5	3656	37.5	3841
IMR 3031	Federal	Federal 210	33.0	3692	35.0	3831
Accurate 4350	Hornady	CCI 200	40.6	3499	44.5 C	3812
Accurate 2015	Federal	Federal 210	33.5	3566	35.5	3779
Hodgdon H4831SC	Hornady	CCI 200	42.1	3447	46.0 C	3718
Alliant Reloder 23	Hornady	CCI 200	42.0 C	3490	44.0 C	3652
IMR 7828	Hornady	CCI 200	42.5	3351	44.5 C	3513

**WARNING:** Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

*Maximum loads should be used with CAUTION • C = Compressed Load*