

## 30-40 Krag

.308"	30 Varminter HP	30 Carbine TMJ® RN
Weight (grains)	110	110
Ballistic Coefficient	0.128	0.179
Sectional Density	0.166	0.166
COAL Tested	2.760"	2.760"
Speer Part No.	1835	1846

			START CHARGE		MAXIMUM CHARGE	
Propellant	Case	Primer	Weight (grains)	Muzzle Velocity (feet/sec)	Weight (grains)	Muzzle Velocity (feet/sec)
IMR 4320	Winchester	CCI 200	43.0	2612	47.0	2873
IMR 3031	Winchester	CCI 200	39.0	2509	43.0	2783
Hodgdon H380	Winchester	CCI 250	46.0	2544	50.0	2760
IMR 4064	Winchester	CCI 200	41.0	2448	45.0	2715
IMR 4895	Winchester	CCI 200	39.0	2411	43.0	2671
Hodgdon H322	Winchester	CCI 200	38.0	2345	42.0	2656
IMR 4350	Winchester	CCI 200	48.0	2360	52.0	2579
IMR 4198 (reduced load)	Winchester	CCI 200	26.0	1979	30.0	2296

WARNING: Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

Maximum loads should be used with CAUTION • C = Compressed Load