



## 300 Winchester Magnum

<b>.308"</b>	<b>30</b>
	<b>Match BTHP</b>
<b>Weight (grains)</b>	168
<b>Ballistic Coefficient</b>	0.534
<b>Sectional Density</b>	0.253
<b>COAL Tested</b>	3.340"
<b>Speer Part No.</b>	2040

Propellant	Case	Primer	START CHARGE		MAXIMUM CHARGE	
			Weight (grains)	Muzzle Velocity (feet/sec)	Weight (grains)	Muzzle Velocity (feet/sec)
Alliant Reloder 26	Federal	Federal 215	73.0	2914	<b>80.0 C</b>	3220
Alliant Reloder 22	Winchester	CCI 250	75.0	2983	<b>79.0 C</b>	3190
Hodgdon H4350	Winchester	CCI 250	71.0	2984	<b>75.0</b>	3174
IMR 4831	Winchester	CCI 250	72.0	2951	<b>76.0 C</b>	3139
Alliant Reloder 19	Winchester	CCI 250	73.0	2919	<b>77.0</b>	3138
Vihtavuori N160	Winchester	CCI 250	71.0	2965	<b>75.0</b>	3138
IMR 7828	Winchester	CCI 250	76.0	2927	<b>80.0 C</b>	3131
Alliant Reloder 16	Federal	Federal 215	64.5	2851	<b>71.7</b>	3130
Accurate 3100	Winchester	CCI 250	73.0	2926	<b>77.0 C</b>	3080
IMR 4350	Winchester	CCI 250	70.0	2895	<b>74.0</b>	3063
Hodgdon H4831SC	Winchester	CCI 250	73.0	2795	<b>77.0 C</b>	3005
Hodgdon H380	Winchester	CCI 250	63.0	2750	<b>67.0</b>	2926
Alliant Reloder 15	Winchester	CCI 250	59.0	2722	<b>63.0</b>	2911
Hodgdon H870	Winchester	CCI 250	83.0	2724	<b>87.0 C</b>	2867
Hodgdon H1000	Winchester	CCI 250	77.0	2699	<b>81.0 C</b>	2856

**WARNING:** Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

*Maximum loads should be used with CAUTION • C = Compressed Load*