



7-30 Waters

.284"	7mm Spitzer SP Hot-Cor®	7mm Spitzer BTSP	7mm Grand Slam® SP/CANN
Weight (grains)	145	145	145
Ballistic Coefficient	0.416	0.416	0.353
Sectional Density	0.257	0.257	0.257
COAL Tested	2.710"	2.710"	2.710"
Speer Part No.	1629	1628	1632

NOTE: Do not use pointed bullets in tubular magazines

Propellant	Case	Primer	START CHARGE		MAXIMUM CHARGE	
			Weight (grains)	Muzzle Velocity (feet/sec)	Weight (grains)	Muzzle Velocity (feet/sec)
Alliant Power Pro 2000-MR	Federal	Federal 210	33.9	2259	36.9	2503
Alliant Reloder 15	Federal	CCI 200	31.0	2228	35.0	2480
IMR 4895	Federal	CCI 200	30.0	2130	34.0	2449
Winchester 748	Federal	CCI 250	30.0	2088	34.0	2435
Alliant Power Pro Varmint	Federal	Federal 210	31.1	2273	33.1	2434
Alliant AR-Comp	Federal	Federal 210	29.1	2187	32.1	2408
Hodgdon H4895	Federal	CCI 200	29.0	2103	33.0	2400
Hodgdon BL-C(2)	Federal	CCI 250	31.0	2164	35.0	2395
Accurate 2015	Federal	CCI 200	26.0	2086	30.0	2381
Vihavuori N135	Federal	CCI 200	29.0	2130	33.0	2378
Hodgdon H335	Federal	CCI 250	28.0	2052	32.0	2360
IMR 3031	Federal	CCI 200	27.0	1979	31.0	2311
IMR 4166	Federal	Federal 210	28.7	2128	30.7	2280
Accurate 2230	Federal	CCI 250	24.0	1793	28.0	2201

WARNING: Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

Maximum loads should be used with CAUTION • C = Compressed Load