



7mm Weatherby Magnum

.284"	7mm Spitzer BTSP	7mm Spitzer SP Hot-Cor®	7mm Grand Slam® SP/CANN
Weight (grains)	160	160	160
Ballistic Coefficient	0.519	0.504	0.389
Sectional Density	0.283	0.283	0.283
COAL Tested	3.350"	3.350"	3.350"
Speer Part No.	1634	1635	1638

Propellant	Case	Primer	START CHARGE		MAXIMUM CHARGE	
			Weight (grains)	Muzzle Velocity (feet/sec)	Weight (grains)	Muzzle Velocity (feet/sec)
Alliant Reloder 33	Federal	Federal 215	74.6	2781	82.0 C	3142
Alliant Reloder 25	Federal	Federal 215	71.0	2930	75.0 C	3132
Vihtavuori N560	Federal	Federal 215	67.0	2891	71.0	3095
Alliant Reloder 26	Federal	Federal 215	62.6	2763	69.4	3091
Ramshot Magnum	Federal	Federal 215	72.0	2926	76.0	3079
Alliant Reloder 22	Federal	Federal 215	66.0	2849	70.0	3065
Hodgdon Retumbo	Federal	Federal 215	67.3	2762	74.6 C	3063
IMR 7828	Federal	Federal 215	67.0	2859	71.0 C	3052
Alliant Reloder 23	Federal	Federal 215	61.3	2753	67.8	3040
Alliant Reloder 19	Federal	Federal 215	64.5	2837	68.5	3035
Hodgdon H1000	Federal	Federal 215	65.0	2754	72.2	3021
IMR 4350	Federal	Federal 215	61.0	2829	65.0	3019
IMR 4831	Federal	Federal 215	62.0	2856	66.0	3013
IMR 7977	Federal	Federal 215	65.4	2701	72.3	2996
Accurate 3100	Federal	Federal 215	63.5	2825	67.5	2992
Hodgdon H4831SC	Federal	Federal 215	66.0	2818	70.0	2989
Hodgdon H4350	Federal	Federal 215	60.0	2838	64.0	2988

WARNING: Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

Maximum loads should be used with CAUTION • C = Compressed Load