



## 220 Swift

<b>.224"</b>	<b>22 TNT Green®</b>
<b>Weight (grains)</b>	43
<b>Ballistic Coefficient</b>	0.150
<b>Sectional Density</b>	0.122
<b>COAL Tested</b>	2.650"
<b>Speer Part No.</b>	1022

Propellant	Case	Primer	START CHARGE		MAXIMUM CHARGE	
			Weight (grains)	Muzzle Velocity (feet/sec)	Weight (grains)	Muzzle Velocity (feet/sec)
Alliant Power Pro 2000-MR	Hornady	CCI 200	38.5	3877	42.7	4197
Alliant Reloder 17	Hornady	CCI 200	40.1	3774	44.3	4196
Ramshot Big Game	Hornady	CCI 200	40.0	3855	44.5	4179
IMR 3031	Federal	Federal 210	35.5	3995	37.5	4165
Vhitavuori N540	Federal	Federal 210	40.5	3990	42.5	4162
Hogdon Varget	Hornady	CCI 200	36.4	3814	40.4	4146
Alliant AR-Comp	Hornady	CCI 200	34.2	3848	37.8	4143
Hogdon H380	Hornady	CCI 200	39.5	3848	43.7	4128
Hogdon H414	Federal	Federal 215	42.0	3960	44.0	4127
Alliant Reloder 15	Federal	Federal 210	40.0	3922	42.0	4124
Winchester 760	Hornady	CCI 200	39.3	3794	43.5	4121
Vhitavuori N140	Hornady	CCI 200	35.4	3775	39.2	4087
Accurate 2015	Federal	Federal 210	35.0	3832	37.0	4065
IMR 4451	Hornady	CCI 200	41.5	3793	44.5 C	4037
Vhitavuori N160	Hornady	CCI 200	41.7	3694	46.0 C	4026
Alliant Reloder 16	Hornady	CCI 200	41.4	3817	43.5 C	4004

**WARNING:** Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

*Maximum loads should be used with CAUTION • C = Compressed Load*