



## 22 Hornet

<b>.224"</b>	<b>22 TNT Green®</b>
<b>Weight (grains)</b>	30
<b>Ballistic Coefficient</b>	0.091
<b>Sectional Density</b>	0.085
<b>COAL Tested</b>	1.675"
<b>Speer Part No.</b>	1021

Propellant	Case	Primer	START CHARGE		MAXIMUM CHARGE	
			Weight (grains)	Muzzle Velocity (feet/sec)	Weight (grains)	Muzzle Velocity (feet/sec)
<b>Winchester 296</b>	Winchester	Federal 205	12.0	3086	<b>13.0 C</b>	3279
<b>Hodgdon H110</b>	Winchester	Federal 205	11.5	3042	<b>12.5</b>	3239
<b>Alliant 2400</b>	Winchester	Federal 205	10.5	2948	<b>11.5 C</b>	3107
<b>Vihtavuori N110</b>	Winchester	Federal 205	9.5	2741	<b>10.5 C</b>	2888
<b>Accurate 1680</b>	Winchester	Federal 205	12.5	2623	<b>13.5 C</b>	2826
<b>IMR 4227</b>	Winchester	Federal 205	10.5	2649	<b>11.5 C</b>	2814

**WARNING:** Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

*Maximum loads should be used with CAUTION • C = Compressed Load*