



## 243 Winchester

<b>.243"</b>	<b>6mm</b>
	<b>HP</b>
<b>Weight (grains)</b>	75
<b>Ballistic Coefficient</b>	0.192
<b>Sectional Density</b>	0.181
<b>COAL Tested</b>	2.590"
<b>Speer Part No.</b>	1205

Propellant	Case	Primer	START CHARGE		MAXIMUM CHARGE	
			Weight (grains)	Muzzle Velocity (feet/sec)	Weight (grains)	Muzzle Velocity (feet/sec)
Alliant Reloader 16	Federal	Federal 210	40.4	3252	<b>44.0</b>	3454
Vihtavuori N540	Winchester	Federal 210	40.5	3099	<b>44.5</b>	3447
IMR 4895	Winchester	Federal 210	38.5	3183	<b>42.5</b>	3407
Alliant Reloader 15	Winchester	Federal 210	39.0	3077	<b>43.0</b>	3400
Alliant Reloader 17	Federal	Federal 210	39.0	3142	<b>43.1</b>	3395
Ramshot Big Game	Winchester	Federal 215	41.0	3185	<b>45.0</b>	3390
Hodgdon Varget	Winchester	Federal 210	38.0	3186	<b>42.0</b>	3388
Winchester 760	Winchester	Federal 215	43.5	3114	<b>47.5</b>	3387
IMR 4350	Winchester	Federal 210	44.0	3043	<b>48.0 C</b>	3384
Hodgdon H414	Winchester	Federal 215	42.0	3087	<b>46.0</b>	3376
Accurate 4064	Winchester	Federal 210	38.5	2930	<b>42.5</b>	3301
Alliant AR-Comp	Federal	Federal 210	32.1	3073	<b>35.3</b>	3271
Alliant Reloader 10X	Winchester	Federal 210	32.0	3023	<b>36.0</b>	3240
Accurate 4350	Winchester	Federal 210	44.0	2916	<b>48.0 C</b>	3238

**WARNING:** Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

*Maximum loads should be used with CAUTION • C = Compressed Load*