



## 243 Winchester Super Short Magnum

<b>.243"</b>	<b>6mm</b>
	<b>Spitzer BTSP</b>
<b>Weight (grains)</b>	85
<b>Ballistic Coefficient</b>	0.380
<b>Sectional Density</b>	0.206
<b>COAL Tested</b>	2.255"
<b>Speer Part No.</b>	1213

Propellant	Case	Primer	START CHARGE		MAXIMUM CHARGE	
			Weight (grains)	Muzzle Velocity (feet/sec)	Weight (grains)	Muzzle Velocity (feet/sec)
<b>Hodgdon H414</b>	Winchester	Federal 215	41.5	3169	<b>43.5</b>	3274
<b>Alliant Reloder 19</b>	Winchester	Federal 210	45.0	3131	<b>47.0 C</b>	3272
<b>Winchester 760</b>	Winchester	Federal 215	41.5	3162	<b>43.5</b>	3271
<b>Alliant Reloder 15</b>	Winchester	Federal 210	37.0	3146	<b>39.0</b>	3260
<b>IMR 4350</b>	Winchester	Federal 210	41.0	3145	<b>43.0</b>	3252
<b>Ramshot Big Game</b>	Winchester	Federal 215	39.5	3112	<b>41.5</b>	3222
<b>Accurate 4350</b>	Winchester	Federal 210	41.5	3086	<b>43.5</b>	3201
<b>Vihavuori N540</b>	Winchester	Federal 210	36.0	3076	<b>38.0</b>	3191
<b>IMR 4895</b>	Winchester	Federal 210	35.0	3066	<b>37.5</b>	3184

**WARNING:** Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

*Maximum loads should be used with CAUTION • C = Compressed Load*