



## 30-06 Springfield

<b>.308"</b>	<b>30</b>
	<b>Carbine TMJ® RN</b>
<b>Weight (grains)</b>	110
<b>Ballistic Coefficient</b>	0.179
<b>Sectional Density</b>	0.166
<b>COAL Tested</b>	2.915"
<b>Speer Part No.</b>	1846

Propellant	Case	Primer	START CHARGE		MAXIMUM CHARGE	
			Weight (grains)	Muzzle Velocity (feet/sec)	Weight (grains)	Muzzle Velocity (feet/sec)
Winchester 748	Winchester	CCI 250	58.0	3201	<b>62.0 C</b>	3414
Alliant Reloder 15	Winchester	CCI 200	56.0	3124	<b>60.0 C</b>	3363
Accurate 2460	Winchester	CCI 250	51.0	3129	<b>55.0</b>	3349
Accurate 2520	Winchester	CCI 250	52.0	3144	<b>56.0</b>	3343
Hodgdon Varget	Winchester	CCI 200	55.0	3063	<b>59.0 C</b>	3312
IMR 4064	Winchester	CCI 200	54.0	2965	<b>58.0</b>	3264
Vihtavuori N135	Winchester	CCI 200	51.0	3047	<b>55.0</b>	3258
Accurate 2495	Winchester	CCI 200	51.0	2950	<b>55.0</b>	3218
IMR 4320	Winchester	CCI 200	53.0	2931	<b>57.0</b>	3135
IMR 4895	Winchester	CCI 200	50.5	2908	<b>54.5</b>	3127
Hodgdon H4895	Winchester	CCI 200	49.0	2855	<b>53.0</b>	3123
Hodgdon BL-C(2)	Winchester	CCI 250	51.0	2815	<b>55.0</b>	3096
Hodgdon H322	Winchester	CCI 200	46.0	2789	<b>50.0</b>	2941
Accurate XMR 5744 (reduced load)	Winchester	CCI 200	26.0	1965	<b>27.0</b>	2044

**WARNING:** Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

*Maximum loads should be used with CAUTION • C = Compressed Load*