



300 Winchester Short Magnum

.308"	30 SPFN Hot-Cor®	30 Spitzer BTSP	30 Spitzer SP Hot- Cor®	30 Grand Slam® SP
Weight (grains)	150	150	150	150
Ballistic Coefficient	0.255	0.417	0.377	0.295
Sectional Density	0.226	0.226	0.226	0.226
COAL Tested	2.620"	2.810"	2.810"	2.780"
Speer Part No.	2011	2022	2023	2026

Propellant	Case	Primer	START CHARGE		MAXIMUM CHARGE	
			Weight (grains)	Muzzle Velocity (feet/sec)	Weight (grains)	Muzzle Velocity (feet/sec)
Alliant Reloder 26	Federal	Federal 215	67.2	3017	74.6 C	3342
Alliant Power Pro 4000-MR	Federal	Federal 215	64.6	3002	71.4	3289
Alliant Reloder 16	Federal	Federal 215	61.7	3006	68.5	3284
Alliant Reloder 23	Federal	Federal 215	66.2	2989	73.4 C	3275
Alliant Reloder 17	Federal	Federal 215	61.4	2989	68.0	3274
Alliant Reloder 22	Federal	Federal 215	64.4	2974	71.6	3272
Accurate 4350	Winchester	CCI 200	67.0	3115	71.0 C	3269
Vihtavuori N560	Winchester	CCI 200	71.5	3098	75.5 C	3265
IMR 4831	Winchester	CCI 200	67.0	3101	71.0	3256
Hodgdon H4350	Winchester	CCI 200	64.0	3086	68.0	3256
Hodgdon H414	Winchester	CCI 250	64.0	3109	68.0	3255
IMR 4350	Winchester	CCI 200	65.0	3043	69.0	3245
Alliant Reloder 19	Winchester	CCI 200	69.5	3049	73.5	3244
Winchester 760	Winchester	CCI 250	64.5	3085	68.5	3238
Accurate 2700	Winchester	CCI 250	61.0	3069	65.0	3197
Hodgdon H4831SC	Winchester	CCI 200	69.0	3040	73.0	3177
Hodgdon Varget	Winchester	CCI 200	55.0	2972	59.0	3154
Hodgdon H380	Winchester	CCI 250	61.0	2994	65.0	3150
Winchester 748	Winchester	CCI 250	55.0	2966	59.0	3112
Vihtavuori N140	Winchester	CCI 200	52.0	2880	56.0	3024
Accurate 5744 (reduced load)	Winchester	CCI 200	29.0	2035	33.0	2259

WARNING: Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

Maximum loads should be used with CAUTION • C = Compressed Load