



308 Winchester

| | |
|------------------------------|-------------------|
| .308" | 30 |
| Weight (grains) | Match BTHP |
| Ballistic Coefficient | 168 |
| Sectional Density | 0.534 |
| COAL Tested | 0.253 |
| Speer Part No. | 2.800" |
| | 2040 |

| Propellant | Case | Primer | START CHARGE | | MAXIMUM CHARGE | |
|----------------------------|----------------|-------------|-----------------|----------------------------|-----------------|----------------------------|
| | | | Weight (grains) | Muzzle Velocity (feet/sec) | Weight (grains) | Muzzle Velocity (feet/sec) |
| Alliant Power Pro 2000-MR | Federal | Federal 210 | 45.7 | 2672 | 50.5 C | 2889 |
| †Alliant AR-Comp | Federal | Federal 210 | 39.2 | 2570 | 43.3 C | 2782 |
| †Hodgdon Varget | IMI Commercial | CCI 200 | 42.0 | 2566 | 46.0 | 2781 |
| Vihtavuori N150 | IMI Commercial | CCI 200 | 43.0 | 2433 | 47.0 C | 2773 |
| †IMR 4064 | IMI Commercial | CCI 200 | 42.0 | 2504 | 46.0 | 2758 |
| †Winchester 748 | IMI Commercial | CCI 250 | 42.0 | 2472 | 46.0 | 2754 |
| †Alliant Power Pro Varmint | Federal | Federal 210 | 39.6 | 2544 | 43.6 | 2753 |
| †Alliant Reloder 15 | IMI Commercial | CCI 200 | 41.0 | 2435 | 45.0 | 2743 |
| †IMR 4320 | IMI Commercial | CCI 200 | 42.0 | 2482 | 46.0 | 2733 |
| †Accurate 2460 | IMI Commercial | CCI 250 | 40.0 | 2391 | 44.0 | 2725 |
| †Accurate 2520 | IMI Commercial | CCI 250 | 40.0 | 2471 | 44.0 | 2692 |
| †IMR 4895 | IMI Commercial | CCI 200 | 40.0 | 2412 | 44.0 | 2687 |
| †IMR 3031 | IMI Commercial | CCI 200 | 39.0 | 2466 | 43.0 | 2685 |
| †IMR 4166 | Federal | Federal 210 | 38.3 | 2470 | 42.2 C | 2670 |
| Hodgdon H414 | IMI Commercial | CCI 250 | 45.0 | 2338 | 49.0 | 2665 |
| Winchester 760 | IMI Commercial | CCI 250 | 45.0 | 2441 | 49.0 | 2660 |
| †Hodgdon BL-C(2) | IMI Commercial | CCI 250 | 41.0 | 2357 | 45.0 | 2655 |
| Hodgdon H380 | IMI Commercial | CCI 250 | 45.0 | 2294 | 49.0 C | 2584 |

†—denotes propellant suitable for gas-operated semi-auto match rifles

WARNING: Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

Maximum loads should be used with CAUTION • C = Compressed Load