



45-70 Government (Trapdoor Rifles)

.458"	45
	JHP
Weight (grains)	300
Ballistic Coefficient	0.206
Sectional Density	0.204
COAL Tested	2.530"
Speer Part No.	2482

Propellant	Case	Primer	START CHARGE		MAXIMUM CHARGE	
			Weight (grains)	Muzzle Velocity (feet/sec)	Weight (grains)	Muzzle Velocity (feet/sec)
Alliant Reloder 7	Winchester	CCI 200	38.0	1667	42.0	1771
Vihtavuori N133	Winchester	CCI 200	47.0	1623	49.0	1742
IMR 4198	Winchester	CCI 200	36.0	1530	38.0	1731
Hodgdon H4895	Winchester	CCI 200	52.0	1490	56.0	1711
Accurate 2015	Winchester	CCI 200	45.0	1587	49.0	1685
Alliant Reloder 10X	Winchester	CCI 200	40.0	1555	44.0	1678
IMR 3031	Winchester	CCI 200	50.0	1470	54.0	1677
IMR 4064	Winchester	CCI 200	53.0	1577	55.0	1668
Hodgdon Varget	Winchester	CCI 200	51.0	1503	55.0	1662
IMR 4895	Winchester	CCI 200	50.0	1463	54.0	1649
Hodgdon BENCHMARK	Winchester	CCI 200	49.0	1575	51.0	1648
Hodgdon H322	Winchester	CCI 200	49.0	1520	51.0	1571
IMR 4227	Winchester	CCI 200	30.0	1456	32.0	1543
Accurate 5744	Winchester	CCI 200	30.0	1367	34.0	1534
IMR SR 4759	Winchester	CCI 200	26.0	1361	28.0	1486

WARNING: Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

Maximum loads should be used with CAUTION • C = Compressed Load